



2025

FLOOR SCRUBBERS
VACUUM CLEANERS
HIGH PRESSURE CLEANERS
WELDING MACHINES
COMPRESSORS
GENERATORS
SNOW THROWERS
LOG SPLITTERS





LYNX welding machines

NEW WISE POWER

...Between metals, between industries, between people.
Connected by the arc, by passion,
by the power of wise welding!



WME501 cc/cv + WFE4i + conn 10m, Profi,

range (A) / Voltage V	15-500/400
Wire diameter	0.8-1.6 (mm)
Electrode diameter max	6 (mm)
Duty cycle, 60% - MIG/MMA/TIG	500/490/490
Weight	95 (kg)

10 meter cables, MIG torch, Earth Clamp

0315014030



WME501 MIG 250Di, Profi,

range (A) / Voltage V	40-250/230
Wire diameter	0.6-1.0 (mm)
Electrode diameter max	4 (mm)
Duty cycle, 60% - MIG/MMA/TIG	144/115/144
Weight	50 (kg)

MIG Torch, Earth Clamp

312502001



WME501 MIG 220 DI, Profi,

range (A) / Voltage V	40-200/230
Wire diameter	0.6-1.0 (mm)
Electrode diameter max	4 (mm)
Duty cycle, 60% - MIG/MMA/TIG	115/104/104
Weight	20 (kg)

MIG Torch, Earth Clamp

312202001



WME501 MIG 200D, Profi,

range (A) / Voltage V	30-200/230
Wire diameter	0.6-1.0 (mm)
Electrode diameter max	4 (mm)
Duty cycle, 60% - MIG/MMA/TIG	100/85/100
Weight	16 (kg)

MIG Torch, Earth Clamp

0312002502



WME501 MIG 180 Series II, Profi

range (A) / Voltage V	30-180/230
Wire diameter	0.6-1.0 (mm)
Electrode diameter max	4 (mm)
Duty cycle, 60% - MIG/MMA/TIG	104/87
Weight	14 (kg)

MIG Torch, Earth Clamp

0311802503



WME501 Expert H11

2 sensors

Dark state DIN 11

Delay time 0.2 sec

View area 90 x 34 mm

Solar cell and battery power supply

35103005



WEMem TIG 180, Profi

range (A) / Voltage V	10-180/230
Electrode diameter max(mm)	4
Duty cicle, 60% - TIG/MMA	127/127
Duty cicle, 100% - TIG/MMA	99/99
Pre/Post Gas and 2T-4T Torch	yes
Weight	10 (kg)

0302006016



WEMem TIG 200i PFC, Profi

range (A) / Voltage V	10-200/230
Electrode diameter max(mm)	4
Duty cicle, 60% - TIG/MMA	141/127
Duty cicle, 100% - TIG/MMA	110/99
Pre/Post Gas and 2T-4T Torch	yes
Weight	10.3 (kg)

0302006017



WEMem TIG 200i PFC, AC/DC, Profi

range (A) / Voltage V	10-200/230
Electrode diameter max(mm)	4
Duty cicle, 60% - TIG/MMA	115/92
Duty cicle, 100% - TIG/MMA	89/72
Pre/Post Gas and 2T-4T Torch	yes
Weight	27 (kg)

0302006018

WEm 136	
range (A) / Voltage V	20-120/230
Electrode diameter max	3.2 (mm)
Duty cicle, 60% - TIG/MMA	60/12.4
Duty cicle, 100% - TIG/MMA	47/47
Weight	5 (kg)

301256002

WEMem 156 series II	WEMem 176 series II
20-140 /230	20-160 / 230
3.2 (mm)	4 (mm)
81/13.6	92/13.6
63/63	71/71
6 (kg)	6 (kg)

301402002

WEMem 176 series II	
	20-160 / 230
	4 (mm)
	92/13.6
	71/71
	6 (kg)

301602002



WEMem 137 Expert line

range (A) / Voltage V	20-130/230
Electrode diameter max	3.2 (mm)
Duty cicle, 60% - TIG/MMA	60
Duty cicle, 100% - TIG/MMA	44.5
Weight(kg)	4

301202032



WEMem 177 Expert line

range (A) / Voltage V	20-160/230
Electrode diameter max	4 (mm)
Duty cicle, 60% - TIG/MMA	80
Duty cicle, 100% - TIG/MMA	62
Weight(kg)	5

301602032



WEMem 180, Profi

range (A) / Voltage V	20-180/230
Electrode diameter max	4 (mm)
Duty cicle, 60% - TIG/MMA	104/104
Duty cicle, 100% - TIG/MMA	80/80
Weight(kg)	5

0301803502



WEMem 200, Profi

range (A) / Voltage V	20-200/230
Electrode diameter max	5 (mm)
Duty cicle, 60% - TIG/MMA	115/115
Duty cicle, 100% - TIG/MMA	89/89
Weight(kg)	7.7

0302003502



WEMem 913

4 sensors
Dark state DIN 9-13
Adjustable delay time control
Focus function, sensitivity control
Solar cell and battery power supply

35102905



WEMem 200i, Profi, PFC

range (A) / Voltage V	20-200/230
Electrode diameter max	5 (mm)
Duty cicle, 60% - TIG/MMA	115/115
Duty cicle, 100% - TIG/MMA	89/89
Weight(kg)	7.7

0302003503



WEMem 250, Profi,

range (A) / Voltage V	20-250/230
Electrode diameter max	5 (mm)
Duty cicle, 60% - TIG/MMA	144/144
Duty cicle, 100% - TIG/MMA	112/112
Weight(kg)	8.8

0302503503



WEMem 501, Profi,

range (A) / Voltage V	20-500/400
Electrode diameter max	6 (mm)
Duty cicle, 60%-TIG/MMA	500/490
Duty cicle, 100%-TIG/MMA	380/380
Weight(kg)	8.8

0302503503



LYNX compressors

HIGH QUALITY AND EFFICIENCY!

Compact and easy to maintain, piston compressors are suitable for both home and professional usage, due to their reliability and handling. A vast range of compressors is available to you. You can choose oil, oil free or special edition compressors answering to all your needs



EL 141/8/6 silent

Tank capacity (lit)	6
Air flow (l/min)	105
Pressure (bar)	8
Motor power (W/V)	500/230
Weight (kg)	13

9014180610



EL 150/8/24 silent

Tank capacity (lit)	24
Air flow (l/min)	150
Pressure (bar)	8
Motor power (W/V)	800/230
Weight (kg)	20

9015082410



EL 208/8/40 silent

Tank capacity (lit)	40
Air flow (l/min)	196
Pressure (bar)	8
Motor power (W/V)	1150/230
Weight (kg)	30

9020084010



E 243/8/24

Tank capacity (lit)	24
Air flow (l/min)	227
Pressure (bar)	8
Motor power (W/V)	1500/230
Weight (kg)	23

90243248



E 243/8/50

Tank capacity (lit)	50
Air flow (l/min)	227
Pressure (bar)	8
Motor power (W/V)	1800/230
Weight (kg)	32

90243508



E 349/8/100

Tank capacity (lit)	100
Air flow (l/min)	349
Pressure (bar)	8
Motor power (W/V)	2200/230
Weight (kg)	62

9034910010



E 400/9/200

Tank capacity (lit)	200
Air flow (l/min)	397
Pressure (bar)	9
Motor power (W/V)	2200/230
Weight (kg)	115

9040020010

Pneumatic Kit 4s

4 pcs set

Spray gun, Inflating gun,

Air dust gun,

Spiral hose 5m

9600110

Pneumatic Kit 5s

5 pcs set

Spray gun, Inflating gun,

Air dust gun, Spray nozzle,

Spiral hose 5m

9600210





E 501/9/200

Tank capacity (lit)	200
Air flow (l/min)	520
Pressure (bar)	9
Motor power (W/V)	3000/400
Weight (kg)	117

9050120010



E 501/10/270

Tank capacity (lit)	270
Air flow (l/min)	520
Pressure (bar)	10
Motor power (W/V)	3000/400
Weight (kg)	130

9050127010



E 500/9/270

Tank capacity (lit)	270
Air flow (l/min)	480
Pressure (bar)	9
Motor power (W/V)	3000/400
Weight (kg)	110

9050027009



E 691/10/270

Tank capacity (lit)	270
Air flow (l/min)	650
Pressure (bar)	10
Motor power (W/V)	4000/400
Weight (kg)	130

9069127010



E 692/11/270

Tank capacity (lit)	270
Air flow (l/min)	670
Pressure (bar)	11
Motor power (W/V)	4000/400
Weight (kg)	121

9069227011



E 892/11/500

Tank capacity (lit)	500
Air flow (l/min)	800
Pressure (bar)	11
Motor power (W/V)	5500/400
Weight (kg)	193

9089250011



E 1202/11/500

Tank capacity (lit)	500
Air flow (l/min)	1235
Pressure (bar)	11
Motor power (W/V)	7500/400
Weight (kg)	236

9012050011



EPM 703/10/270

Tank capacity (lit)	270
Air flow (l/min)	705
Pressure (bar)	10
Motor power (kW/V)	5.5/400
Weight (kg)	207

91070310270



EPM 1003/10/500

Tank capacity (lit)	500
Air flow (l/min)	1050
Pressure (bar)	10
Motor power (kW/V)	7.5/400
Weight (kg)	264

91100310500



E 1504/10/500

Tank capacity (lit)	500
Air flow (l/min)	1500
Pressure (bar)	10
Motor power (kW/V)	11/400
Weight (kg)	410

90150410505

E 2004/10/500

Tank capacity (lit)	500
Air flow (l/min)	1850
Pressure (bar)	10
Motor power (kW/V)	15/400
Weight (kg)	436

90200410505



LYNX generators

Power where you want it, when you need it!

GSEM 6000 SDE open

Max power (W)	5500
Displacement (ccm)	456
Fuel capacity (l)	18
Weight (kg)	118

Connections:
1x16Ax230Vx3.6kW, AVR
1x32Ax230Vx5.5kW, AVR

39060000601



GSEm 7000 SDE

Max power (W)	6500
Displacement (ccm)	498
Fuel capacity (l)	12,5
Weight (kg)	180

Connections:
1x16Ax230Vx3.68kW, AVR
1x32Ax230Vx6kW, AVR

39070000601



GSEm 7000 TDE

Max power (W)	6500
Displacement (ccm)	498
Fuel capacity (l)	12,5
Weight (kg)	180

Connections:
1x32Ax230Vx6kW, AVR
1x16Ax400Vx6kW, AVR

39070000611



GSEm 8500 TDE

Max power (W)	7500
Displacement (ccm)	633
Fuel capacity (l)	12,5
Weight (kg)	195

Connections:
1x16Ax230Vx3.68kW, AVR
1x32Ax230Vx7.5kW, AVR
1x16Ax400Vx7.5kW, AVR

39085200611



GSEM2000 SBI Invertert	
Max power (W)	2000
Displacement (ccm)	79
Fuel capacity (l)	5
Weight (kg)	19,8
Connections: 2x16Ax230Vx 2.00kW AVR	

39020000101



GSEM 4500 SBI inverter	
Max power (W)	3700
Displacement (ccm)	212
Fuel capacity (l)	7
Weight (kg)	36,6
Connections: 2x16Ax230Vx3.68kW AVR	

039045000501



GSEm 3300 SB	
Max power (W)	3300
Displacement (ccm)	208
Fuel capacity (l)	13
Weight (kg)	48
Connections: 2x16Ax230Vx3.3kW AVR	

39033000102



GSEm 6000 SB	
Max power (W)	5000
Displacement (ccm)	420
Fuel capacity (l)	23
Weight (kg)	79
Connections: 1x16Ax230Vx3.68kW AVR 1x16Ax230Vx5.00kW AVR	

39060000102



GSEm 7000 SBE	
Max power (W)	6000
Displacement (ccm)	420
Fuel capacity (l)	23
Weight (kg)	87
Connections: 1x16Ax230Vx3.68kW AVR 1x32Ax230Vx6.00kW AVR	

39070000502



GSEm 8250 TBE	
Max power (W)	8000
Displacement (ccm)	439
Fuel capacity (l)	23
Weight (kg)	101
Connections: 1x16Ax230Vx3.68kW AVR 1x32Ax230Vx7.50kW AVR 1x16Ax230Vx8.00kW AVR	

39082500502



GSEm 16000 TDE	
Prime power (kVA)	18
Standby (kVA)	20
Fuel type	Diesel
Number of cylinders	4
Cooling type	water
Canopy and ATS	optional

GSEm 23000 TDE	
Prime power (kVA)	25
Standby (kVA)	27
Fuel type	Diesel
Number of cylinders	4
Cooling type	water
Canopy and ATS	optional

GSEm 20000 TDE	
Prime power (kVA)	23
Standby (kVA)	25
Fuel type	Diesel
Number of cylinders	4
Cooling type	water
Canopy and ATS	optional

GSEm 27000 TDE	
Prime power (kVA)	30
Standby (kVA)	34
Fuel type	Diesel
Number of cylinders	4
Cooling type	water
Canopy and ATS	optional



ATS mono

39070000698

ATS three

39070000699

suitable for diesel generators only



LYNX High pressure cleaners

DESIGNED FOR LONG LIFE AND EASE OF SERVICEABILITY.

High pressure cleaners give an outstanding performance. They are distinguished by their high quality, modern design, long life time and economic efficiency. We make you powerful with our machines.



HDEm 942 HW

Max pressure (bar)	180
Water flow (l/h)	800
Power (kW/V)	5/400
Outlet water max. temperature (°C)	140
Weight (kg)	120

950942400502



HDEm 800 HW

Max pressure (bar)	170
Water flow (l/h)	800
Power (kW/V)	4.7/400
Outlet water max. temperature (°C)	130
Weight (kg)	90

95080040001



HDEm 800 HW - E

Max pressure (bar)	170
Water flow (l/h)	800
Power (kW/V)	4.7/400
Outlet water max. temperature (°C)	130
Weight (kg)	90

950800400502



HDEm 220

Max pressure (bar)	210
Water flow (l/h)	900
Power (kW/V)	5,5/400
Voltage (V/Hz)	400/50
Weight (kg)	66,5

90425432200



HDEm 270

Max pressure (bar)	260
Water flow (l/h)	900
Power (kW/V)	7,5/400
Voltage (V/Hz)	400/5
Weight (kg)	77

90425432700



Standard equipment

Metal water gun
Rubber high pressure hose
Stainless steel lance
High pressure nozzle
Hose reel for h.p. hose



LYNX Vacuum cleaners

PERFORMANCE YOU CAN TRUST!

Designed to satisfy all your needs.

Wide range of products for all demands, hotels, restaurants, construction, carwash, metal industry and for home use. Do not think of it simply as a cleaner, with the antibacterial filter as a standard installed in all vacuum cleaners, see it as an investment in the health of all family members or employees.



VC 803

Max motor power (W)	3x1200
Motor stages	2
Capacity of waste hopper (l)	80
Voltage (V/Hz)	230/50
Wet and dry	yes
Weight (kg)	26

288030



VC 802

Max motor power (W)	2x1200
Motor stages	2
Capacity of waste hopper (l)	80
Voltage (V/Hz)	230/50
Wet and dry	yes
Weight (kg)	25

288020



VC 6510

Max motor power (W)	2x1200
Injection pump (W)	48
Capacity of waste hopper (l)	62
Voltage (V/Hz)	230/50
Chemical and extraction	yes
Weight (kg)	31

28285011



MCI 603

Max motor power (W)	3x1200
Motor stages	1
Capacity of waste hopper (l)	60
Voltage (V/Hz)	230/50
Wet and dry	yes
Weight (kg)	19

296003



MCI 602

Max motor power (W)	2x1200
Motor stages	1
Capacity of waste hopper (l)	60
Voltage (V/Hz)	230/50
Wet and dry	yes
Weight (kg)	18

296002



HC 2850

Max motor power (W)	1x1400
Injection pump (W)	48
Capacity of waste hopper (l)	16
Voltage (V/Hz)	230/50
Chemical and extraction	yes
Weight (kg)	13

286510



LSEm 7001

Motor power (kW)	3
Max. splitting force (t)	7
Wood Ø max. (sm)	30
Wood length max. (sm)	55
Weight (kg)	98,2

500700123010



LSEm 11000

Motor power (kW)	3
Max. splitting force (t)	11
Wood Ø max. (sm)	30
Wood length max. (sm)	104
Weight (kg)	174

500110002310



LSEm 16001 PTO

Motor power (kW)	PTO
Max. splitting force (t)	16
Wood Ø max. (sm)	30
Wood length max. (sm)	110
Weight (kg)	244

500160010110



LSEm 5001

Motor power (kW)	2,3
Max. splitting force (t)	5
Wood Ø max. (sm)	25
Wood length max. (sm)	52
Weight (kg)	55

500500123010



LSEm 7010

Motor power (kW)	2,3
Max. splitting force (t)	7
Wood Ø max. (sm)	25
Wood length max. (sm)	52
Weight (kg)	60

500701023010



STEm 12015 EJP

Engine power (hp)	15
Drive System	SP
Clearing Width (cm)	120
Engine starting	electric
Steering control	power
Weight (kg)	169

38120150515



STEm 7713 EJPT

Engine power (hp)	13
Drive System	SP-track
Clearing Width (cm)	77
Engine starting	electric
Steering control	power
Weight (kg)	111

38077130515



STEm 6770 JPT

Engine power (hp)	7
Drive System	SP-track
Clearing Width (cm)	67
Engine starting	manual
Steering control	power
Weight (kg)	90

38062700501



STEm 6770 J

Engine power (hp)	7
Drive System	SP
Clearing Width (cm)	67
Engine starting	manual
Steering control	no
Weight (kg)	84

38067700501



STEm 5765

Engine power (hp)	6,5
Drive System	SP
Clearing Width (cm)	57
Engine starting	manual
Steering control	no
Weight (kg)	68,5

38057650102



SPG 20502 DR

Motor power (W)	1150
Max delivery height (m)	9
Max. flow rate (l/h)	20 000
Cutting element	no
Weight (kg)	23

35020521152



SPG 18502 CDR

Motor power (W)	1300
Max delivery height (m)	12
Max. flow rate (l/h)	18 000
Cutting element	yes
Weight (kg)	24

35018521300



SPG 31502 CDR

Motor power (W)	2200
Max delivery height (m)	10
Max. flow rate (l/h)	31 000
Cutting element	yes
Weight (kg)	32


35031522200



LYNX THE POWER OF SCRUBBING!

Designed to replace mop and bucket cleaning!

A properly maintained floor lasts longer, minimizes wear and tear, helps makes your working area safer and healthier. We offer you versatile you work and save time and money.



SMB 1200/520

Productivity (m/h)	1200
Scrubbing width (mm)	520
Number of brushes	2
Brush motor power (W)	2x160
Suction power (W)	120
Solution tank capacity (l)	6
Operating time (h)	1,5-2
Batteries and charger included	yes

400120052001



SMB 1300/420

Productivity (m/h)	1000
Scrubbing width (mm)	350
Number of brushes	1
Brush motor power (W)	400
Suction power (W)	400
Solution tank capacity (l)	13
Operating time (h)	1,5
Batteries and charger included	yes

400130042001



SMB 900/340

Productivity (m/h)	800
Scrubbing width (mm)	340
Number of brushes	1
Brush motor power (W)	200
Suction power (W)	120
Solution tank capacity (l)	6
Operating time (h)	1,5-2
Batteries and charger included	yes

400090080001



SMB 2300/830

Productivity (m/h)	2300
Scrubbing width (mm)	830
Number of brushes	1
Brush motor power (W)	500
Suction power (W)	500
Solution tank capacity (l)	50
Operating time (h)	3-4
Batteries and charger included	yes

400230083001



SMB 2000/830T

Productivity (m/h)	2000
Scrubbing width (mm)	830
Number of brushes	1
Brush motor power (W)	550
Suction power (W)	500
Solution tank capacity (l)	45
Operating time (h)	3
Batteries and charger included	yes

400200083001



LYNX
ELEKTRO MASCHINEN



SMB 4200/820T

Productivity (m/h)	3800
Scrubbing width (mm)	820
Number of brushes	2
Brush motor power (W)	2x300
Suction power (W)	500
Solution tank capacity (l)	70
Operating time (h)	3-4
Batteries and charger included	yes

400380082001



SMB 4500/700T

Productivity (m/h)	4200
Scrubbing width (mm)	700
Number of brushes	2
Brush motor power (W)	2x300
Suction power (W)	400
Solution tank capacity (l)	80
Operating time (h)	3-4
Batteries and charger included	yes

400420070001



SMB 6000/1050T

Productivity (m/h)	5600
Scrubbing width (mm)	1050
Number of brushes	2
Brush motor power (W)	2x380
Suction power (W)	600
Solution tank capacity (l)	140
Operating time (h)	3-4
Batteries and charger included	yes

406000105012